



Africa Twin reaches new heights

In 2017, the Africa Twin broke the record for the highest altitude reached by a twincylinder motorcycle. After 5 days of acclimatisation, a team of 5 five riders piloted the Africa Twin onto the slopes of the world's highest active volcano, the Nevado Ojos del Salado – located between Argentina and Chile. Reaching 5,965 metres above sea level, the international team completed its ascent within 24 hours with Africa Twin specially equipped with Termignoni exhaust, revised final sprockets, new Metzeler MC360TM tyres and a range of Honda genuine accessories, Their route took them – in temperatures as low as minus 5 degrees Celsius – through broken asphalt, gravel, mud, sand and finally stretches of ice pockets known as 'penitentes', underlining once again the Africa Twin's credentials as the best-performing off-road motorcycle in its class.



04

Accessories Packs

Can't decide? Combine them and make your own! All packs are compatible and combinable.

	ADVENTURE PACK 008HME-MLN-ADVZA	RALLY PACK *RED* MT 08HME-MLN-RALZC	RALLY PACK *RED* DCT 08HME-MLN-RALZD	RALLY PACK *TRICOLOUR* MT 08HME-MLN-RALZA	RALLY PACK *TRICOLOUR* DCT 08HME-MLN-RALZB	URBAN PACK PLASTIC OBHME-MLN-URBPS	URBAN PACK ALUMINIUM 08HME-MLN-URBAS	TRAVEL PACK PLASTIC 08HME-MLN-TRAZA	TRAVEL PACK ALUMINIUM 08HME-MLN-TRAZ
Tank Side Sticker Africa Twin Set	•								
ront Side Pipe	•								
ront Led Fog Lights Attachment	•								
,5L Tank Bag	•								
ront Led Fog Lights	•								
ngine Guard Attachment	(*)	•	•	•	•				
Radiator Grill	**	•	•	•	•				
ngine Guard		•	•	•	•				
ally Step		•	•	•	•				
/heel Stripe Set Africa Twin *Red*		•	•						
/heel Stripe Set Africa Twin *Tricolour*				•	•				
nuckle Guard Extension Black		•	•						
nuckle Guard Extension White				•	•				
luick Shifter		•		•					
CT Pedal Shift			•		•				
Iain Stand			-		-	•	•		
arip Heater & ATT**						•	•		
2v Socket**						•	•		
BL Top Box With Stripe						•	•		
lastic Top Box Base						•			
ackrest For 58L Top Box						•			
iner Bag For 58L Top Box									
2L Aluminium Top-Box							•		
luminium Top Box Brkt							•		
nner Bag For Aluminium Top Box							•		
Ipper Deflector							•	•	•
Comfort Pillion Steps									
eflectors Set									
annier Case With Stripe								•	•
iner Bag For Plastic Panniers								• x2	
luminium Pannier (Right)								♥ X∠	•
									•
Iuminium Pannier (Left)									
luminium Panniers Stay									•
Iuminium Panniers Inner Bags Set									•
omfort Seat Paulista Red									
omfort Seat Grand Blue									
omfort Seat Black									
Tank Bag									
ow Seat Paulista Red									
ow Seat Grand Blue									
ow Seat Black									
de Tank Pads									



Luggage



42L ALUMINIUM TOP BOX KIT 08ESY-MKS-LGALU

Made of strong and light aluminium, this 42L top box can store one full face helmet and much more. It comes equipped as standard with a backrest for the pillion. Fitted with the one-key Honda system, this top box can be operated using the Africa twin ignition key. It can be installed directly onot the Africa Twin thanks to the rear carrier fitted as standard and the included top box base. Maximum load weight: 6 kgs



58L PLASTIC TOP BOX 08ESY-MLN-TB58

Top Box with a large capacity of 58L can store two full face helmets and much more, is designed with a new sticker made exclusively for the Arrica Twin model. Its special lock allows to secure the lid without using the key. Maximum load weight: 6 kgs Dimensions (L x W x H in mm): 440 x 590 x 370

This kit includes: • 58L Top Box with Stripe (08L70-MLN-E00ZA) • Plastic Top Box Base (08L78-MKS-E00)

Plastic Top Box Base (08L78-MKS-E00)
Backrest for 58L Top Box (08L79-MKS-E00)



PLASTIC PANNIERS SET 08L71-MLN-E00ZA

Set of panniers specifically designed with a new sticker made exclusively for the Africa Twin model, with a stayless installation. This set of 2 panniers are suitable for adventure touring thanks to their highly durable shell. With a 30L capacity on the right side and 40L on the left side (enough storage for one full face helmet), they are equipped with the Honda 1-key system. Maximum load capacity per pannier. 6 kg



38 L TOP BOX KIT 08ESY-MKS-LG35

38L Top Box suitable for one helmet. The Honda one key system allows to operate the top box by using the ignition key. Top box base, key system and backrest are included. Maximum load capacity: 10 kg

ALUMINIUM PANNIERS SET 08ESY-MKS-PNALU

Made of strong and light aluminium, this set includes 2 panniers presenting a capacity of 33L on the right side and 37L on the left. An aluminium stay and two sets of 1-key Honda systems are included.

Maximum load weight for each pannier: 10 kgs



INNER BAGS FOR PLASTIC LUGGAGE 08L81-MKS-E00

D8L81-MKS-E0D Inner bag specifically designed to fit the 58L Plastic Top Box. As it is waterproof and

equipped with straps, it can be also attached directly onto the motorcycle. Finally, a shoulder strap makes it easy to carry. **DBLB3-MKS-ED0** Inner bag specifically designed to fit the right or the left plastic pannier. Same

Inner bag specifically designed to fit the right or the left plastic pannier. Sar specifications as the plastic top box inner bag. Two units are required to complete the panniers set.



INNER BAGS FOR ALUMINIUM LUGGAGE 08L82-MKS-E00

DBL82-MKS-E0D Inner Bag specifically designed to fit the Aluminium Top Box. As it is waterproof and equipped with straps, it can be also attached directly onto the motorcycle. Finally, a shoulder strap makes it easy to carry.

08L84-MKS-E00

Set of 2 inner bags specifically designed to fit the right and the left aluminium panniers. Same specifications as the top box inner bags.

Luggage



INNER BAG FOR 38L TOP BOX 08L75-MJP-G51 Black nylon bag with embroidered silver Honda wing logo on the top and red zippers. Comes with adjustable shoulder belt and carrying handle.



4.5L TANK BAG 08L85-MKS-E00

Thanks to its transparent pocket, this waterproof Tank Bag is the perfect solution to store a smartphone and connect it to the USB port of the motorcycle (depending on smartphones specifications / connectors not included). A one-touch buckle and a magnet keep this Tank Bag firmly attached to the bike. Capacity: 4,5 Litres
 Maximum load weight: 1.5 kg



3L TANK BAG 08L89-MKS-E00

This light and compact Tank Bag features a transparent pocket and it's ideal to store small personal items. Unnoticeable while steering the bike, this Tank Bag is firmly attached thanks to a one-touch buckle and a magnet. A rain cover is included. Capacity: 3L Maximum load weight: 1,5 kg

Protection



FRONT SIDE PIPE WITH ATTACHMENT 08ESY-MLN-FSP

The stainless piping of the Front Side Pipe has been finished with electrolytic polishing, making it resistant to corrosion and allowing dirt and debris to be easily cleaned. Fairings and other parts damage in case of fall is reduced, while further enhancing the tough, adventure image. Applicable to L1 and L3 versions.



ENGINE GUARD WITH ATTACHMENT O8ESY-MKS-ENG

The Engine Guard improves the protection of the engine and the lower part of the bike. Made of stainless steel and finished with electrolytic polishing, it is resistant to corrosion and easy to clean. (Attachment included)



RADIATOR GRILLS 08F71-MKS-E00

Made of stainless steel and showcasing the CRF logo, the Radiator Grills increase the African Twin tough image. Their original mesh pattern combines cooling capabilities with protection for the radiators against flying debris.





SIDE TANK PADS 08F74-MLN-E00ZA / 08R81-MKS-E00

These Side Tank Pads, which have been specially designed to fit the tank shape, help protecting the tank paint againsts rubing damage while improving the grip of the rider during both off-roading and sports touring.
Available in 2 options:
08R81-MKS-E00 - Black

• 08F74-MLN-E00ZA - Transparent



KNUCKLE GUARDS EXTENSION 08P72-MKS-E00ZB / 08P72-MKS-E00ZC / 08P72-MKS-E00ZD These extensions can be fitted to the standard Knuckle Guards to improve the comfort

by further diverting turbulent and cold air around the rider's hands. Available in 3 colours:

- 08P72-MKS-E00ZB White
- 08P72-MKS-E00ZC Black
- 08P72-MKS-E00ZD Red

Comfort



UPPER DEFLECTOR 08R70-MLN-E00 Wind and weather protection are enhanced by the upper deflector, which improves the ride comfort by reducing traveling air around the rider's arms.



DEFLECTORS SET 08R72-MKS-E00 The deflectors improve comfort by reducing travelling air around the rider's waist and knees while funnelling the warm air emitted by the radiators.



MAIN STAND 08M70-MKS-E01 The Main Stand allows secure parking on a variety of ground surfaces and assists with maintenance operations.





FRONT LED FOG LIGHTS 08ESY-MLN-FL

Set of 2 additional front Led headlights that will increase the visibility for the riders and make them more noticeable for the surrounding traffic. The LED Fog Lights increase visibility during poor weather conditions with strong brightness despite low energy consumption (11W). Operated through the handlebar SW and displayed on the TFT display. Can only be fitted with the Front Side Pipe (Not

included).

This kit includes: Front Led Fog Lights Attachment (08V70-MLN-E00)

• Front Led Fog Lights (08V73-MKS-E00)



GRIP HEATERS WITH ATTACHMENT 08T72-MKS-E01

This set of heated grips provide 360° efficient heating for the rider's hands in cold weather. It features adjustable heat levels, smart heat allocation, and is integrated seamlessly with the bike's design. 5 level temperature adjustment

. Easy grip due to the same thickness as standard grips · Built- in voltage monitoring system prevents the

battery from draining Memory function

 Operated through the MC handle switch and displayed on the TFT display.



12V SOCKET 08U70-MKS-E00 Installed on the control panel, this 12V Socket is ideal to power or charge electrical equipment.



LOW SEATS

08R73-MKS-E00ZA / 08R73-MKS-E00ZB / 08R73-MKS-E00ZC The low Seat offers a reduced seating position by 25mm (total seat heights adjustable in 2 positions of 795 or 815mm for L4 and 825 to 845 for L1 and L3). Available in 3 colours: 08R73-MKS-E00ZA - Paulista Red • 08R73-MKS-E00ZB - Grand Blue 08R73-MKS-E00ZC - Black



COMFORT SEATS

08R71-MLN-E00ZA / 08R71-MLN-E00ZB / 08R71-MLN-EOOZC

Enhance your long distance travels with the Comfort Seat, which adds 15mm of comfort thickness and a bigger seating area (+8% than the standard). Seat height can be adjusted through 2 positions (835 to 855 mm in L4 and 865 to 885 mm in L1 and L3). Available in 3 colours: • 08R71-MLN-E00ZA - Paulista Red • 08R71-MLN-E00ZB - Grand Blue

08R71-MLN-E00ZA - Black





PILLION COMFORT STEPS 08R71-MJP-G50 Optional pillion footpegs made of aluminium with a thicker rubber pad, wider than the standard pegs for

increased comfort and reduced vibrations.

08

Performance & Design



RALLY STEPS SET 08R79-MKS-E00

With their aggressive spike shape and a surface 57% larger than the standard ones, these Rally Steps improve the stability and control during off-road riding while reduce risk of boot slip.



DCT PEDAL SHIFT 08U70-MKS-E50 This kit enables the rider to change gear in the traditional 1 down – 5 up format by using the left foot. It works alongside the handlebar shift triggers giving the rider the choice of using either of them at any moment. (For DCT Version only)



QUICK SHIFTER 08U70-MLG-E00

The quick shifter enables smooth and instant up and down gear shifting without any clutch operation, thereby reducing the rider burden for long-distance adventure touring and added sportiness. With AUTO-BLIP function for seamless down-shifts. (For Manual Transmission version only).



WHEEL STRIPES SET 08F72-MLN-E40ZA / 08F75-MLN-E00ZA

The wheel stripes enhance the design while add extra protection to the the wheels, while matching perfectly with the livery of the Africa Twin. Each set includes 2 pieces per each wheel side. Available colours:

- 08F72-MLN-E40ZA Tricolour
 08F75-MLN-E00ZA Black & Red



SC-PROJECT ADVENTURE-R MUFFLER OR24M-REX-014

The Africa Twin SC-Project ADVENTURE-R slip-on muffler offers a step up in the riding experience and performance, improving the exhaust sound and highlighting the sporty side of the bike. Weight Savings: -1,8 kgs than standard Power Gain: +2,2 hp @4500 rpm Torque Gain: +3,9 Nm @4500 rpm EURO5+ compliant and approved for road use.

Note: Only applicable to 24YM Africa Twin

